



CLMTEXFINITY®

The textiles' favorite



X.wash e 100T

X wash[®] e

X.wash^e



Speed

High Speed Washing

Thanks to advanced engineering and the use of intelligent technology, the X.wash-e is a top performing and versatile washer extractor. It is ideal for commercial or on-premise laundries but also for high production laundries.

- Individual wash & centrifuge speeds for each article/program
- The combination of a unique drum design, a sophisticated water management and high quality industrial parts makes the X.wash-e a top performer both on speed and quality of the washing proces



Quality

Advanced Technology and Washing Perfection

Our continuous efforts in maximising the reliability of the X.wash-e has led to a robust design with top quality parts. This results in the excellent washing proces and extends the lifetime of the washer extractor.

- Both internal and external drum made of superior AISI 304 stainless steel
- All outside panels in stainless steel
- Up to 350G extraction force makes less then 52% moisture retention possible, which leads to lower drying times, saving energy and time
- The smooth patented design of the inside drum protects your linen
- The air spring suspension system from Continental (manufactured in Germany) is built to last, safer and results in the best anti-vibration effects during high spin. The effective absorption rate can reach 95% without any special foundation
- Continental air springs are also used for the tilting (optional, both front and rear) of the machine



Flex

The Art of Flexibility

Continuously listening and learning from our customers made the X.wash-e highly flexible, adaptable to specific needs and easy to customise and integrate into existing installations.

- The optional tilting makes loading and unloading the linen much easier
- Each program can be defined with different cycles, different temperatures, different rotating speeds and timings, ...
- Choose between the simple microprocessor control, or our more advanced Omron PLC & touch screen control
- Due to the modulated gas burner, input temperatures can be set per recipe to allow optimum drying temperatures depending on fabric



Eco

Nature-Friendly

A well-thought design lowers the need of energy and air, leading to savings for our customers and reduces the ecological footprint.

- Thanks to the low moisture retention rate, the drying time will be lower

10-inch touch screen



X.wash e 30

Robust construction



KISS

Keep it Simple & Straightforward

Keeping it simple, the design of the X.wash-e and its user interface makes it easy to understand, easy to use and easy to maintain. Using standard parts, widely available surely helps.

- Optional 10-inch color responsive touch screen of high resolution and straightforward menu structure makes generating and changing programs effortless
- Up to 30 recipes with micro controller and 100 with touch screen/PLC control
- Drum drive with frequency inverter
- Easy maintenance and easy access
- Standard parts widely available

Technical Specs

	Unit	20	30	50	70	100	130
Washing capacity	kg	20	30	50	70	100	130
Drum size (diam. x depth)	mm	Ø700 x 510	Ø900 x 500	Ø1065 x 610	Ø1090 x 760	Ø1210 x 880	Ø1320 x 950
Drum volume	L	160	315	540	708	1010	1300
Washing speed	rpm	48	37	36	35	34	32
Extraction speed	rpm	780	750	720	700	680	635
Extractor value	G	240	285	300	300	300/350 *	300/350 *
Motor power	kW	2.2	4	5.5	7.5	7.5	11
Electrical heating power	kW	18	21	42	46		
Steam consumption ratio	kg/kg	0.9	0.9	0.9	0.9	0.9	0.9
Water inlet pipe diam.	Inch	1.0"	1.5"	1.5"	1.5"	1.5"	2"
Steam pipe diam.	Inch	3/4"	1"	1"	1"	1"	1,5"

* Depending on version

Dimensions (without options like tilting, high speed etc)

	Unit	20	30	50	70	100	130
Width	mm	1000	1460	1610	1650	1760	1950
Depth	mm	1170	1440	1680	1960	2090	2220
Height	mm	1560	1840	2040	2160	1970	2175
Weight	kg	750	1600	2250	2800	3200	4100

X.wash e 50





Support, the next level

We keep your textiles moving

Introducing the CLMTextfinity Service

In 2010, CLMTextfinity made a promise: to personally ensure the safety, reliability and functionality of every machine – without compromise. And they signed their name to it.

This vow is more than ever alive today through our dedicated and passionate people. And we're building upon their personal commitment with investments in new technology.

Our name is CLMTextfinity – and count on our next level service

A more personalized experience

We put you and your customers at the center of everything we do



Personalized contracts

Flexible service packages offer maintenance and connectivity options to suit your needs.



Custom notifications

Easily customise your communication preferences to access real-time notifications and simplified, faster reporting.



Event alerts

Event-driven alerts keep you in the loop on important updates about your equipment.



Academy

Tailor made education for your technicians help you avoid downtimes, increase product lifespans and plan for the future.

Support the next level

We are committed to being easy to do business with. That means giving you a single place to find all the information you need when you need it. Contact our teams directly via phone, chat or email, and track maintenance and equipment health in real-time.

CLMTextfinity designs, develops, manufactures, implements and services a full range of industrial laundry solutions.

Our customers range from industrial laundries and textile rental suppliers as well as hospital and hotel on-premise laundries.

The equipment is constructed in our 3 production factories in China, covering around 133.000 square meters of working space.

Customers highly value our strict standards in production, people and quality management according to ISO9001 norms and we are experienced in both Western and Asian industry cultures, standards and languages.

Our range of products consists of:

Category

● Wash & Dry

Name

- S.wash-t** Tunnel washer
- S.press** Water extraction press
- S.dry-p** Passthrough dryer
- X.wash-e** Washer-extractor
- X.dry-f** Front loading dryer

● Sort & Handle

- S.bag** Bag system
- S.belt** Conveyors washroom
- S.load** Loading conveyors
- S.trans** Conveyors finishing
- S.control** Control systems
- X.pack** Packing machine

Category

● Full Dry Finish

Name

- S.towel-a** Air towel folder
- S.omni-a** Air multi folder

● Flatwork Finish

- S.grab** Picker
- S.feed-s** Automatic feeder
- S.feed-m** Manual feeder
- S.feed-r** Remote feeder
- S.iron-c** Chest ironer
- X.iron-c** Chest ironer
- S.fold-l** Folder large pcs
- S.fold-s** Folder small pieces
- S.fold-m** Folder multi lane



CLMTextfinity Europe
Hoge Mauw 118
2370 Arendonk
Belgium
www.clmtexfinity.com
Email: info@clmtexfinity.com

CLMTextfinity Asia
No.18 Xiangyun Road, Dianshanhu
Kunshan City
China
www.clmtexfinity.com
Email: info@clmtexfinity.com